

Mackie Tech Support - ProFX Series ASIO4All Setup for Windows 7

This guide describes how to setup your ProFX series Mixer with ASIO4All. Setting up your ProFX series mixer with ASIO4ALL will allow you to use your ProFX series mixer for recording and playback with DAW Applications such as Pro Tools, Cubase and any application that requires an ASIO driver.


We will start this guide by assuming you have already connected your ProFX series mixer to your PC via USB and powered it on.

We will use Cubase as an example throughout this guide.


1. You will need to download installed ASIO4All from the link below. Make sure to download and installed the latest non beta version of ASIO4All.

ASIO4ALL Download Link: <http://www.asio4all.com/>


2. Now that you have installed ASIO4ALL you will need to launch your DAW application and select ASIO4ALL as your ASIO driver in the preference section of your DAW.



3. In your DAW you will need to open and configure the ASIO4ALL control panel. This will allow you to select the ProFX Series mixer as the audio device to be used. Find the control panel option within your DAW and open the ASIO4ALL control panel.



4. Once you have the ASIO4ALL control panel open click on the device named USB Audio CODEC to select the ProFX Series mixer. This will allow the ProFX Series mixer to work as an ASIO device within you DAW application. Note you must have the ProFX Series mixer powered on and connected for this option to show.



5. Enjoy your ProFX Series Mixer

Contact Us

If you are still having a setup issue, please contact us via email or phone so we can trouble shoot your setup.

Email: techmail@loudtechinc.com

Phone: 800-258-6883 Ext. 1632

We are open Monday – Friday, 8AM-4PM PST

